
		INCH	MM
CROWN WHEEL BOLT PCD	D1	5.1958	131.97
No. OF BOLTS		12	12
THREAD / THRO' HOLE		0.4250	10.79
CROWN WHEEL SPIGOT DIA	D2	4.4105	112.03
BEARING DIA	D3	2.1279	54.05
BEARING DIA	D3/A	1.6157	41.04
BEARING DISTANCE	L1	3.4138	86.71
SPIGOT LENGTH	L2	0.9721	24.67
	L2/A	0.7474	18.98
OVERALL LENGTH	L3	5.1330	130.38
BEARING/CROWN WHEEL	L4	0.9829	24.97
BORE	D4	1.5350	39.00
BORE	D4/A	1.2026	30.55
DRIVE SHAFT SPLINE:-			
No. OF TEETH		37	
PITCH		32/64 D.P.	
TYPE		FILLET ROOT	
PRESSURE ANGLE		30°	



TITLE R.W.D. DIFF DATA SHEET.

SCALE 1:1 U.O.S. SHEET 1 OF 1

Drg. No. QDF15Q

Quaife Design & Development.

MATERIAL.

IF IN DOUBT, ASK.

TREATMENT. ISSUE. 01 DATE. 16.11.10
DRAWN BY. H.R.

Used In. PORSCHE 987 CAYMAN
TIPTRONIC DIFF